



commercial catalogue

ceado
barcult

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Муранск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-81-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://ceado.nt-rt.ru/> || cda@nt-rt.ru

do perfect circles exist?

They can occur naturally in planets, celestial bodies, tree rings, rain drops. Men can make perfect circles too: think of a basketball or a great pizza.

But there is a nuance to what our eyes see as a circle.





**we make
circles**

And all we care about is paying attention to that little nuance that creates **perfection.**

think strong, work better

ceado.

ceadolab.
make the future



Juice Fit


EnMeticulous attention has been paid to the design, to ensure **minimal waste and best performance**, for even the hardest to juice leafy vegetables.

“Ricerca maniacale nel design per **minimizzare gli sprechi, garantendo la resa migliore** anche dall'estrazione del succo da vegetali in foglia.



Silent System


Sound level comparison



EnWork at the bar **has never been so quiet!** The design and engineering of Ceado units work so efficiently that you will not even realize they are in operation.

“Lavorare al bar **non è mai stato così silenzioso!** Il design e l'ingegneria delle unità Ceado lavorano in maniera talmente efficiente che ti sembrerà di non averle accese.





Download
the official
Ceado
Barcult app



Blender App Control

En **Ceado Barcult blender app** allows the programming of automatic cycles, straight from a smartphone or tablet. Endless recipes to create and share, to optimise work and improve the production of mixes or bases for cocktails.


It **Ceado Barcult blender app** consente la programmazione dei cicli automatici, direttamente da smartphone o tablet. Infinite ricette, da creare e condividere, per ottimizzare il lavoro e migliorare la produzione di miscele o basi per cocktail.



Dynamic Spin

En The experience of Ceado in the blender sector has allowed for the development of **specific designs for blades and pressing systems**, capable of balancing the consistency of any preparation, associating it to **high production performance**.

It L'esperienza Ceado nel settore dei blender ha permesso di sviluppare **design specifici, per lame e sistemi di pressatura**, capaci di equilibrare la consistenza di ogni preparazione, associando **alte performance produttive**.



FRESH JUICERS



ceado
barcuit

START
STOP

ES900

FRESH JUICE EXTRACTOR



On-counter

Easy to switch between through the counter and on-counter use



FRESH JUICE EXTRACTOR

ES900

HIGH TURNOVER
JUICE BARS



Technical data

Voltage / Alimentazione	220-240V · 50-60 hz
Power / Motore	1000 W
Rpm 50hz / 60hz	3000 / 3600
Net weight / Peso netto	23,0 kg
Gross weight / Peso lordo	27,0 kg
Dimensions	290 x 538 x 530h mm
Feed Chute / Diametro tubo	ø 50 mm - ø 75 mm

Note: Additional voltage models available.



Over 20kg
of fruit and
vegetables
a day

Features

- Through the counter easy adapter**
/ Adattatore per espulsione attraverso il bancone
- Pulp Retainer**
- Silent system**
- Magnetic Control**
- Non-stop service** / Operatività non-stop
- Dishwashing quick and easy**
/ Lavaggio rapido in lavastoviglie
- Easy assembling** / Assemblaggio facile
- Light alloy body** / Corpo in lega leggera



ES700

FRESH JUICE EXTRACTOR





**Pulp
retainer
for
genuine
juice**

**Wash & go!
No tool
required**



FRESH JUICE EXTRACTOR

ES700

HIGH TURNOVER
JUICE BARS



**Over 10kg
of fruit and
vegetables
a day**

Technical data

Voltage / Alimentazione	220-240V · 50-60 hz
Power / Motore	800 W
Rpm 50hz / 60hz	3000 / 3600
Net weight / Peso netto	19,2 kg
Gross weight / Peso lordo	21,5 kg
Dimensions	290 x 538 x 512h mm
Feed Chute / Diametro tubo	ø 50 mm - ø 75 mm

Features

- Pulp Retainer**
- Silent system**
- Magnetic Control**
- Non-stop service / Operatività non-stop**
- Dishwashing quick and easy /**
Lavaggio rapido in lavastoviglie
- Easy assembling / Assemblaggio facile**
- Light alloy body / Corpo in lega leggera**

Note: Additional voltage models available.



ES500

FRESH JUICE EXTRACTOR





Dishwashing
is quick
and easy



75mm
diameter,
no chopping
or peeling
required

FRESH JUICE EXTRACTOR

ES500



MEDIUM TURNOVER
JUICE BARS



Up to 10kg
of fruit
a day

Technical data

Voltage / Alimentazione	220-240V · 50-60 hz
Power / Motore	700 W
Rpm 50hz / 60hz	3000 / 3600
Net weight / Peso netto	14,4 kg
Gross weight / Peso lordo	16,4 kg
Dimensions	242 x 495 x 512h mm
Feed Chute / Diametro tubo	ø 75 mm

Features

- Pulp Retainer**
- Silent system**
- Magnetic Control**
- Non-stop service** / Operatività non-stop
- Dishwashing quick and easy** /
Lavaggio rapido in lavastoviglie
- Easy assembling** / Assemblaggio facile
- Light alloy body** / Corpo in lega leggera

Note: Additional voltage models available.



Make great profits with the Ceado #juicebusiness



Hey Barista, don't sleep!

En Freshly squeezed juice generates more profit than bottled juice.

Il succo fresco genera più profitti rispetto al succo in bottiglietta.

Ceado juicebusiness



Bottled juice



Juices x day

Return on investment

Business target



8 weeks

Entry level



4 weeks

Small BAR



2 weeks

Medium Juice BAR

Fast profits


En By selling only 10 juice servings per day, your investment is recovered in just 8 weeks. **A medium size bar, with 30 juice servings per day, can start looking at its profits in just about 2 weeks!**

Con solo 10 succhi al giorno rientri dall'investimento in appena 8 settimane. **La produzione di un medio juice bar è di 30 succhi al giorno, in sole 2 settimane puoi iniziare a realizzare profitti!**

Healthy Lifestyle

En The market is looking more and more toward natural and healthy beverages, freshly made. **Ceado Juice Fit extracts the juice at low temperature, therefore preserving all natural vitamins.**

Il mercato richiede sempre più bevande naturali e salutari, il **Juice Fit Ceado estrae il succo a bassa temperatura preservando tutte le vitamine naturali.**



Easy recipes!

^{En}The necessary ingredients are few and inexpensive. To mix them in order to produce lots of recipes is easy and quick!

^{It}Gli ingredienti da usare sono pochi ed economici. Combinarli per creare tante ottime ricette è facile e veloce.



1 serving 300ml



Tonic

150gr Oranges, 200gr Apple, 200gr Carrots.



Classic

200gr Apple, 200gr Carrots, 2cm Ginger root.



Detox

100gr Leafy greens, 200gr Apples, 200gr Carrots, 2cm Ginger root.



Green

500gr Leafy greens.



Zest

200gr Apples, 150gr Lemons, 200gr Leafy greens.



^{En}Fruit juices described here are the most requested and profitable, but with Ceado Juicers, many other recipes are available. We recommend using seasonal produce, locally grown.

^{It}I succhi freschi qui descritti sono i più richiesti e redditizi, ma con i Juicers Ceado sono realizzabili tante altre ricette. Consigliamo i prodotti di stagione e a km zero.

CPT50

COLD PRESS JUICER





**Anti-blocking
mesh filter**



**High
yield
pressing**



COLD PRESS JUICER

CP150

FRUITS, VEGGIES
AND NUTS



**1 juice jug
and 1 pulp jug
included**

Technical data

Voltage / Alimentazione	220-240V · 50-60 hz
Power / Motore	400 W
Rpm 50hz / 60hz	70 rpm
Net weight / Peso netto	15,5 kg
Gross weight / Peso lordo	17,5 kg
Dimensions	180 x 400 x 465h mm
Feed Chute / Diametro tubo	ø 60 mm

Features

- Silent system**
- Magnetic Control**
- Non-stop service/** Operatività non-stop
- Anti dripping drum cap**
/ Guscio anti sgocciolatura
- Dishwashing quick and easy**
/ Lavaggio rapido in lavastoviglie
- Easy assembling** / Assemblaggio facile
- Stainless steel body**
/ Corpo in acciaio inossidabile

Note: Additional voltage models available.



BLENDERS





b.stronger

new blenders squad



The new range of **high-performance** blenders

En **More powerful blenders**
for high demanding
professionals.

- Jugs designed for higher quality drinks.
- Renewed design, essential and sleek.
- A range of five blenders for every need.

Ceado Barcult, a squad for professionals

La nuova offerta di blender Ceado Barcult ad alte prestazioni.

Blender più potenti
per i professionisti più esigenti.

- Bicchieri disegnati per una maggiore qualità delle preparazioni.
- Design rinnovato, essenziale ed elegante.
- Una gamma di 5 blender per ogni tipo di esigenza.



B285 silent


BLENDER



Made to lower noise thanks to the Silent System cover



Download the official Ceado Barcult app



BLENDER

B285 silent

B285 Technical data

Voltage / Alimentazione 220-240V · 50-60 hz

Power / Motore 1700 W

Rpm 50hz / 60hz 3000-28000 rpm

Net weight / Peso netto 8,8 kg

Gross weight / Peso lordo 9,7 kg

Dimensions 195 x 220 x 470h mm
(600h open)

B285IC Technical data

Voltage / Alimentazione 220-240V · 50-60 hz

Power / Motore 1700 W

Rpm 50hz / 60hz 3000-28000 rpm

Net weight / Peso netto 8,4 kg

Gross weight / Peso lordo 9,5 kg

Dimensions 195 x 315 x 330h mm
(460h open)

Note: Additional voltage models available.



B285



B285IC

Features

New powerful motors

App automatic cycles / App cicli automatici

Dynamic Spin

Juice Fit Design

Silent system

Manual mode / Funzionamento manuale

Square 1.5l jug / Contenitore quadrangolare 1,5l




B284

feel

BLENDER





BLENDER

B284 feel



Technical data

Voltage / Alimentazione	220-240V · 50-60 hz
Power / Motore	1700 W
Rpm 50hz / 60hz	1500 / 28000
Net weight / Peso netto	4,9 kg
Gross weight / Peso lordo	5,8 kg
Dimensions	195 x 180 x 470h mm

Note: Additional voltage models available.

Features

New powerful motors

Dynamic Spin

Juice Fit Design

Manual mode / Funzionamento manuale

Square 1.5l jug

/ Contenitore quadrangolare 1,5l




B283 tech

BLENDER



Download
the official
Ceado
Barcult app





BLENDER

B283 tech

Technical data

Voltage / Alimentazione	220-240V - 50-60 hz
Power / Motore	1700 W
Rpm 50hz / 60hz	3000 / 28000
Net weight / Peso netto	4,9 kg
Gross weight / Peso lordo	5,8 kg
Dimensions	195 x 180 x 450h mm

Note: Additional voltage models available.



Features

New powerful motors

App automatic cycles

/ App cicli automatici

Dynamic Spin

Juice Fit Design

Manual mode / Funzionamento manuale

Square 1,5l jug

/ Contenitore quadrangolare 1,5l



B280 special

BLENDER





BLENDER

B280 special



Technical data

Voltage / Alimentazione	220-240V · 50-60 hz
Power / Motore	1700 W
Rpm 50hz / 60hz	15000 / 23000
Net weight / Peso netto	4,9 kg
Gross weight / Peso lordo	5,8 kg
Dimensions	195 x 180 x 450h mm

Note: Additional voltage models available.

Features

New powerful motors

Dynamic Spin

Juice Fit Design

Speed selection / Selezione della velocità

Pulse mode / Modalità impulso


1,5l container / Contenitore 1,5l



B185 barman

BLENDER





BLENDER

B185 barman



Technical data

Voltage / Alimentazione	220-240V · 50-60 hz
Power / Motore	1300 W
Rpm 50hz / 60hz	15000 / 23000
Net weight / Peso netto	4,9 kg
Gross weight / Peso lordo	5,8 kg
Dimensions	195 x 180 x 470h mm

Features

- New powerful motors**
- Dynamic Spin**
- Juice Fit Design**
- Speed selection** / Selezione della velocità
- Pulse mode** / Modalità impulso
- 1,5l container** / Contenitore 1,5l

Note: Additional voltage models available.



BAR EQUIPMENT



V90

ICE CRUSHERS



ICE CRUSHERS

V90



Work better

^{EN}One cocktail at a time or an output of 120 kg/h.

V90 allows operators to work as is most convenient for them depending on the time of day, serving customers instantly or preparing the crushed ice in advance.

^{IT}Un cocktail per volta o una produttività da 120 kg/h. V90 consente di lavorare nel modo più comodo a seconda dei momenti della giornata, servendo il cliente all'istante o preparandosi prima il ghiaccio frantumato.



ICE CRUSHERS

V100



^{EN}The high-performance commercial ice crusher. The all-stainless steel V100 can crush 6kg ice in one minute, putting it at the top of its category. It is designed to work in all safety for the operator thanks to the double automatic shut-off system, which activates upon lifting the lid or upon removing the crushed ice tray.

^{IT}Il rompighiaccio professionale ad alte prestazioni. Costruito completamente in acciaio inossidabile V100 può frantumare 6kg di ghiaccio in un minuto ponendosi ai massimi livelli della categoria. Progettato per lavorare in condizioni di assoluta sicurezza per l'operatore grazie al doppio sistema di spegnimento automatico che si attiva sollevando il coperchio o rimuovendo il cassetto di raccolta del ghiaccio tritato.

ICE CRUSHERS

G30



^{EN}The classic ice crusher to obtain fine ice crystals, to prepare syrup based granitas or refreshing drinks. Light alloy for the motor housing, hopper, lever and blade holder; stainless steel for the crushed ice container and blade. The 300W asynchronous motor with thermal cut-out guarantees continuous duty at any time of day. The safety system, activated by lifting the lever, ensures that the operator works in all safety.

^{IT}Il tritagliaccio classico per ottenere il ghiaccio fine, per la preparazione di granite a base di sciroppo o drink rinfrescanti. Lega leggera per corpo motore, tramoggia, leva e disco porta lama. Acciaio inossidabile per vasca raccogli ghiaccio e lama. Il motore asincrono da 300W termoprotetto garantisce continuità di lavoro in ogni momento della giornata. Il sistema di sicurezza che si attiva sollevando la leva garantisce condizioni di sicurezza per l'operatore.

Technical data

Voltage 220-240V · 50-60 hz

Power / Motore 150 W

Rpm 50hz / 60hz 900rpm

Net weight 3,9 kg

Gross weight 5,0 kg

Dimensions 210 x 230 x 460h mm

Voltage 220-240V · 50-60 hz

Power / Motore 300 W

Rpm 50hz / 60hz 68 rpm

Net weight 15,5 kg

Gross weight 16,8 kg

Dimensions 240 x 340 x 470h mm

Voltage 220-240V · 50-60 hz

Power / Motore 300 W

Rpm 50hz / 60hz 1400 rpm

Net weight 8,7 kg

Gross weight 10,8 kg

Dimensions 210 x 450 x 430h mm

M98

MIXERS

En **0.9l stainless steel
container**
COMMERCIAL
MILK-SHAKER

It **Contenitore in
acciaio inox 0,9l**
COMMERCIAL
MILK-SHAKER



M98



EnThe two agitators consist of a **double and a single whisk** made of white composite.

ItI due agitatori sono costituiti da una **doppia e una singola ventola** in composito bianco.

M98/2



EnThe same features as the model M98 multiplied by two. The **possibility of preparing two different recipes simultaneously** thanks to two 300W motors, which operate independently.

ItLe stesse caratteristiche del modello M98 con la **possibilità di preparare contemporaneamente** due diverse ricette grazie ai due motori da 300W che agiscono in maniera indipendente.

MP98



EnM98 wall-mounted version, **without the supporting base**. Practical and compact, it may be easily wall-mounted in any premises, even in bars or workshops where space is at a premium.

ItM98 in **versione pensile**, dotato di supporto per il montaggio a parete. Pratico e compatto, con misure contenute, si adatta facilmente ad ogni locale, anche di piccole dimensioni.

M98T



M98T/2



MP98T



Technical data

Voltage 220-240V · 50-60 hz

Power / Motore 300 W

Rpm 50hz / 60hz 15000rpm

Net weight 3,7 kg

Gross weight 4,5 kg

Dimensions 180 x 210 x 485h mm

Voltage 220-240V · 50-60 hz

Power / Motore 300+300 W

Rpm 50hz / 60hz 15000 rpm

Net weight 6,7 kg

Gross weight 7,7 kg

Dimensions 310 x 210 x 485h mm

Voltage 220-240V · 50-60 hz

Power / Motore 300 W

Rpm 50hz / 60hz 15000 rpm

Net weight 2,9 kg

Gross weight 3,8 kg

Dimensions 100 x 150 x 440h mm

SOFTICE CREAM MIXERS

M105

EN **LOW SPEED MIXER**
to prepare recipes
based on soft ice cream
or frozen yogurt

IT **MIXER A BASSA VELOCITÀ**
per la miscelazione di
ricette a base di gelato
soft o frozen yogurt



SOFT ICE CREAM MIXER

M105



M105
R

Removable agitator shaft for **use with spoons is available** (spoons not included). The mixing shaft turns at **low speed** (1400rpm) for better blending of ingredients and preventing the ice cream or yogurt from melting or separating out. Starting from an ice cream or frozen yogurt base and adding the desired condiments, new recipes can be mixed in less than thirty seconds or new flavours offered also by incorporating different ingredients.

L'albero miscelatore è disponibile anche nella **versione per cucchiaino monodose** (cucchiai non inclusi). La **bassa velocità** del miscelatore consente una perfetta miscelazione degli ingredienti ed evita che il gelato o lo yogurt si sciolga o si disaggreghi. Partendo da una base gelato neutra o frozen yogurt ed aggiungendo la guarnitura preferita, in meno di 30 secondi si possono miscelare nuove ricette o proporre nuovi gusti.

COMBINED UNITS

G110



G110 is the solution that incorporates **several machines in one product**. Three appliances with the advantage of concentrating the work area into a small space. Ice-shaver, an automatic citrus juicer and a blender combined together. **Light alloy cast body. Separate motors:** asynchronous for ice-shaver and juicer, and universal for blender.

G110 è la soluzione che aggrega **più macchine in uno stesso prodotto**. Tre servizi raccolti in un unico prodotto, con il vantaggio di concentrare la zona di lavoro in poco spazio. Tritaghiaccio, spremiagrumi a leva e frullatore. **Struttura in lega leggera lucida. Motori indipendenti:** asincroni su tritaghiaccio e spremiagrumi, universale sul frullatore.

ICE CREAM PRESS

QS1



This is the press for easily shaping ice cream. Made in **light alloy**, it is reliable and safe thanks to the reinforced nylon gears that do not rust and remain intact even after a long period of use. QS1 comes complete with **insert for preparing spaghetti ice cream**. A full range of accessories for preparing many other shapes is available on request.

È la pressa per modellare il gelato con facilità. Costruito in **lega leggera**, è affidabile e sicuro grazie agli ingranaggi in nylon rinforzato che si mantengono compatti anche dopo molto tempo e non creano problemi di ossidazione. QS1 viene fornito completo di **trafila per la preparazione di spaghetti gelato**. A richiesta è disponibile una gamma completa di accessori con cui si possono preparare molte altre varianti.

Technical data

Voltage	220-240V · 50-60 hz	Voltage	220-240V · 50-60 hz	Voltage	N/A
Power / Motore	250 W	Power / Motore	300+300+900 W	Power / Motore	N/A
Rpm 50hz / 60hz	1400rpm	Rpm 50hz / 60hz	N/A	Rpm 50hz / 60hz	N/A
Net weight	8,0 kg	Net weight	21,5 kg	Net weight	2,5 kg
Gross weight	9,3 kg	Gross weight	23,0 kg	Gross weight	3,5 kg
Dimensions	250 x 175 x 540h mm	Dimensions	330 x 530 x 480h mm	Dimensions	180 x 390 x 545h mm

S98 SL98

CITRUS JUICERS





The stainless steel universal reamer



Two interchangeable reamers



CITRUS JUICERS

S98 - SL98

S98 Technical data

Voltage / Alimentazione	220-240V · 50-60 hz
Power / Motore	250 W
Rpm 50hz / 60hz	1400 rpm
Net weight / Peso netto	6,5 kg
Gross weight / Peso lordo	7,8 kg
Dimensions	190 x 300 x 380h mm
Feed Chute / Diametro tubo	ø 60 mm

SL98 Technical data

Voltage / Alimentazione	220-240V · 50-60 hz
Power / Motore	300 W
Rpm 50hz / 60hz	1400 rpm
Net weight / Peso netto	8,5 kg
Gross weight / Peso lordo	9,8 kg
Dimensions	190 x 300 x 360h mm
Feed Chute / Diametro tubo	ø 60 mm



S98



SL98

Features

Juice Fit Design

Silent system

Light alloy body / Corpo in lega leggera

Safety cut-out / Protezione termica



Note: Additional voltage models available.

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://ceado.nt-rt.ru/> || cda@nt-rt.ru